Order information

The PPM system is ordered in two steps:

Step 1: System information

Please indicate your type of PMS system and the number of DGs:

	1	2a (Shaft)	2b (Shore)	3
PMS system				

Number of DGs	(28)	
---------------	------	--

Step 2: Unit option information

K																
Option	D1	E1	F1	EF2	EF4	H2	J2	J4	J7	L	M15	M16	M18	N5	X2	X4
	(X)	(X)	(X)	(X)	(X)	(x	(02)	(04)								
Unit															@1	@2
DGM																
DG2													,			
DG3																
DG4																
DG5																
DG6									~	V.	1					
DG7																
DG8									V							
ТВ									1							
SG																

@1: One display per PPM unit is already included as standard, enter only the number of additional displays here@2: One AOP-2 is already included as standard, enter only the number of additional AOP-2s here

Option K1:

				U	JK
Documentation as bard	رن ک	y (no	. of sets)		

(Only one hard cop) included as standard).



For detailed information about options, please see option list on page 5.



DEIF A/S, Frisenborgvej 33 DK-7800 Skive, Denmark



Due to our continuous development we reserve the right to supply equipment which may vary from the described.

Tel.: +45 9614 9614, Fax: +45 9614 9615
E-mail: deif@deif.com, URL: www.deif.com