





















Available variants

Type	Variant no.	Description	Item no.	Note
WSDI-2	03	WSDI-2, relative wind speed and direction	2958050060-03	
WSDI-2 RT	04	WSDI-2 RT, relative and true wind speed and direction. Incl. NCI-1 interface box.	2958050060-04	
WSS wind system	01	WSS static wind sensor with heating, WSDI-2 wind indicator, incl. 40 m cable and IP66 installation box	2958050050-01	Bird avoidance kit is included and pre-installed on WSS.
WSS-L wind system	02	WSS-L static wind sensor, WSDI-2 wind indicator, incl. 40 m cable and IP66 installation box	2958050050-02	Bird avoidance kit is included and pre-installed on WSS-L.

Available accessories

Accessory	Description	Type	Note
NCI-1 NMEA0183 interface box for WSDI-2	Speed input required for true wind and buffered output	Interface box	
WSDI-2 IP66 rear cover	IP66 from backside	Cover	

Order specifications

Product Variants:

Mandatory Information				Additional accessories to a Standard Variant	
Item no.	Type	Variant no.	Scale type	Accessory	Accessory

Example:

Mandatory Information				Additional accessories to a Standard Variant	
Item no.	Type	Variant no.	Scale type	Accessory	Accessory
2958050060-04	WSDI-2 RT	04	Aft	WSDI-2 IP66 rear cover	-

Due to our continuous development we reserve the right to supply equipment which may vary from the described.



DEIF A/S, Frisenborgvej 33  
DK-7800 Skive, Denmark

Tel.: +45 9614 9614, Fax: +45 9614 9615  
E-mail: deif@deif.com, URL: www.deif.com

